
Tapo Smart Ecosystem

Tapo provides an easy way to turn your home into a smart home. With the Tapo Hub as a bridge, the Tapo Smart Sensor works with a wide range of Tapo devices. Easily control and monitor your home from anywhere.



Hightlights

Protect your property from extensive water damage.

The Tapo Smart Water Leak Sensor notiQes you via diQerent methods in case of an emergency. Receive instant alerts immediately when a water leak occurs, so you can respond quickly to prevent further damage.



Built-in
90 dB Alarm

Tapo Hub
Alarm

Instant
App NotiQcations

Visible Alarm
with Smart Lights

(Tapo smart lights sold separately)

Features

- **Drip & Leak Alert**
  Features 6 highly sensitive sensor probes to quickly and consistently respond to drips and leaks for faster protection of your property.

- **Built-in 90 dB Alarm**
  Alerts you immediately with its adjustable 90 dB alarm when leakage occurs. Press once to silence the alarm after you ϕnd the spot.

- **Instant App NotiϘcations**
  Receive an instant app notiϘcation when a leak happens. Find out even while away from home to prevent worse water damage.

- **Tapo Hub Alarm**
  Tiggers the Hub alarm for additional audible alert coverage in your home when water leakage is detected.

- **Visible Alarm with Smart Lights**
  Set up Smart Actions in the Tapo app to get a visual alert from your Tapo smart lights before disaster strikes.
  (Tapo smart lights sold separately)

- **IP67 Rating**
  Provides high-grade water resistance and dust protection and a long service life. Ideal for humid and dusty environments.

- **Flexible Placement**
  No wiring required and simple to use. Place the sensor anywhere leaks or ʒoodling may occur, like near a washing machine, water heater, sink/bathtub, and more.

- **1 Year+ Battery**
  Uses two replaceable AAA batteries (pre-installed out of box) and provides you with up to a year of protection. Receive in-app reminders when the batteries are low.

SpeciQcations

General

- Wireless: 868 MHz (EU version);† 922 MHz (US version)‡
- Input Power: 2pcs 1.5V AAA/LR03 Battery
- Buzzer Sound Level: 0-90 dB (Mute, Low, Normal, High)
- IP Rating: IP67
- Battery Life: 1 Year+ §

Note: Tapo Hub is required (sold separately).

Other

- Package Contents:

  Smart Water Leak Sensor ò 1

  AAA/LR03 Batteries ò 2ï


  Quick Start Guide
- CertiQcations: FCC, CE, R-NZ, UKCA, RoHS, JRF, VCCI, NCC, RCM
- Operating Temperature: 0~40ËC (32~104ËF)
- Operating Humidity: 0%–99% RH
- Dimensions: 84.5 ò 46.5 ò 30 mm (3.3 ò 1.8 ò 1.2 in)


Control Button

Single press
Silence alarm;
Test connection with the hub.

Double press
Adjust alarm volume.

Press and hold for 5s
Pair with hub.





¥ The speciQc working frequencies for the EU version are 863 MHz to 865 MHz and 868 MHz to 868.6 MHz.
¦ The speciQc working frequencies for the US version are 920.9 MHz to 923.3 MHz.
§ Battery life estimates obtained through testing in a laboratory setting. Actual results may vary.
ï Batteries are pre-installed in the sensor.

SpeciQcations are subject to change without notice. All brands and product names are trademarks or registered trademarks of their respective holders.
Ä2023 TP-Link